



**ADVANCED
MEDICAL & METALS**

DECEMBER 2025

PRODUCT CATALOG

CUSTOM MANUFACTURED

WHERE “WE CAN DO
THAT” COMES TO LIFE





Our Story

Our focus is simple: helping you find the right solution for your unique needs. While our company was founded in 2021, our team brings more than 40 years of hands-on experience in custom metal fabrication and design. We pride ourselves on being easy to work with, offering personalized service and guiding each project from idea to finished product. Whether you need a one of a kind piece or a large scale solution, we're here to provide dependable craftsmanship and support every step of the way.

CUSTOM STAINLESS STEEL FABRICATION

CONTACT US



VISIT OUR WEBSITE:

WWW.ADVANCED-MM.COM



CALL US:

205.829.1650



EMAIL US:

BWILSON@ADVANCED-MM.COM

KCROCKER@ADVANCED-MM.COM

JBRYDE@ADVANCED-MM.COM



LOCATION:

425 Carson Road N

Birmingham, AL 35215

QUESTIONS? CONTACT US.



TABLE OF CONTENTS

**ADVANCED
MEDICAL & METALS**

Waste Products.....	2-3
Sharps Products.....	4-5
Mobile Transport Carts.....	6
Lblocks.....	7-9
Caves/Covers.....	10
Lab Furniture.....	11-15
Lab Equipment.....	16-19
Custom Products.....	20-26
Index for Item Numbers.....	27-29





Waste Products

Custom stainless steel waste products offer a reliable and durable solution tailored to the specific needs of various facilities. Unlike off-the-shelf options, custom stainless steel waste solutions such as barrels, drums, and containers are designed to fit seamlessly into existing workflows and architectural constraints.

30.BL



REMOVABLE LID & CAP FOR 30 GALLON BARREL

Standard Sizing:

Lid: OD - 19 3/4"

Lid with handles: 22 5/8"

Cap: 5" cap with 1/2 lead wrapped in stainless steel

Lid Options: center or offset holes

30B.SS



30 GALLON BARREL

Standard Sizing:

Width: OD - 18 1/2"

Height: 24 1/2" T

" of Lead: 1/2" up to 2" (varies on customer specs)

Exterior: Stainless Steel

Interior: Painted

Misc: Dolly upon request

30B.DL



REMOVABLE LID & HINGED CAP FOR DRUMS

Standard Sizing:

Lid: OD - 19 3/4"

Lid with handles: 22 5/8"

Cap: 7" hinge w/ chrome knob

**10D
15D**



10-15 GALLON DRUM

Custom Specs offered

Standard Sizing:

Width: OD - 15" W

Misc: Dolly upon request

Height: 27" T

" of Lead: 1/8" up to 2"

Exterior: Stainless Steel

Interior: Painted or Stainless Steel

30D



30 GALLON DRUM

Standard Sizing:

Width: OD - 18 1/2"

Height: 28 3/4" T

" of Lead: 1/4" up to 2" (varies on customer specs)

Exterior: Painted

Interior: Painted

Misc: Dolly upon request



Waste Products Continued

55D



55 GALLON DRUM

Custom Specs offered

Standard Sizing:

Width: OD - 23 5/8"

Height: 34 1/2" T

" of Lead: 1/4" up to 2" (varies on customer specs)

Exterior: Painted

Interior: Painted

Misc: Dolly upon request

308D
30DD
558D
55DD



DOLLY FOR 30/55 GALLON

Standard Sizing:

Width: ID - 19 1/4"

Height: 6 1/2" T

Exterior: Powder coated steel

LLWC.125



5 GALLON WASTE CONTAINER W/ CHROME HANDLE FOR LID

Standard Sizing:

Width: 11"

Depth: 9"

Height: 15 3/4"

" of Lead: 1/8" thick

Exterior: Stainless Steel

Interior: Painted Lead

Custom Specs offered

LGSK



LARGE CASK

Custom Specs offered

Standard Sizing:

Width: OD - 20"

Height: 33" T

" of Lead: 1/8" up to 2"

Exterior: Stainless Steel

Interior: Painted or Stainless Steel

Misc: Dolly upon request

TTWC



TRI-TOP WASTE CONTAINER

Standard Sizing:

Width: OD - 12"

Height: 24" T

" of Lead: 1/4" (varies on customer specs)

Exterior: Stainless Steel

Interior: Painted

Misc: Dolly upon request



Sharps Products

Sharps containers are essential for the safe disposal of needles, blades and other medical instruments that can pose a risk of injury or contamination. In custom stainless steel fabrication, sharps containers are engineered to provide maximum durability, hygiene and safety in high-risk environments such as hospitals, laboratories and pharmaceutical facilities.

CLLC.1



CUSTOM LEAD LINED CONTAINER

Custom Specs offered

Standard Sizing:

Width: OD - 6 3/4"
Depth: OD - 5 5/8"
Height: OD - 10 1/16" T (11 3/4" includes lid & knob)
" of Lead: 1"
Exterior: Stainless Steel or White Powder Coat
Interior: Painted or White Powder Coat

RPSC.1



ROUND PET SHARPS CONTAINER

Standard Sizing:

Width: OD - 10 5/8"
Height: OD - 12 3/8" T
" of Lead: 1"
Exterior: Stainless Steel or White Powder Coat
Interior: Stainless Steel or White Powder Coat
Cap: OD - 4 1/4" w/ knob **Lid:** OD - 8 5/8"

DSC



DUAL SHARPS CONTAINER

Standard Sizing:

Width: 10 3/4"
Depth: 6 1/8"
Height: 20 5/8" T
" of Lead: 1/8" up to 1/2"
Exterior: Stainless Steel
Interior: Painted Lead

PHES



PET HIGH ENERGY SHARPS

Custom Specs offered

Standard Sizing:

Width: 11"
Depth: 7" **Cap:** 4" with a 3" hole in lid
Height: 13 1/2" T
Weight: 150 lbs
" of Lead: 1/2" up to 1"
Exterior: Stainless Steel
Interior: Painted Lead



Sharps Products

BC.1



BOTTLE CANISTER

Custom Specs offered

Standard Sizing:

Width: OD - 12 5/8"
Depth: OD - 10 5/8"
Height: OD - 15 1/4" T (16 1/2" w/ handle)
" of Lead: 1"
Exterior: Stainless Steel
Interior: Stainless Steel

SLSC.5



SLIDING LID SHARPS

Standard Sizing:

Width: OD - 10 1/4"
Depth: OD - 8 1/8"
Height: OD - 8 5/8" T
" of Lead: 1/2"
Slide Opening: 6 3/8" W x 2 1/8" D
Exterior: Stainless Steel
Interior: Painted Lead



SLSC.H.125



SLIDING LID SHARPS W/ HOLE

Standard Sizing:

Width: OD - 11 3/4"
Depth: OD - 7 1/2"
Height: OD - 10" T
" of Lead: 1/8"
Slide Opening: 6 3/8" W x 2 1/8" D
Exterior: Stainless Steel
Interior: Painted Lead

Mobile Transport Carts

Engineered for environments requiring both mobility and protection, our lead-lined stainless steel transport carts offer reliable shielding and robust construction. The lead core provides effective radiation protection, while the stainless steel exterior ensures strength, corrosion resistance, and easy sanitation. Ideal for medical, nuclear, and industrial applications, these carts combine safety, durability and ease of transport in one streamlined solution.

PC.1



PHANTOM CART

Standard Sizing:

Width: OD - 12 $\frac{3}{4}$ "

Depth: OD - 10"

Height: OD - 21" T (with handle/handle extends up to 32")

" of Lead: $\frac{1}{4}$ " up to 2"

Exterior: Stainless Steel

Interior: Stainless Steel

LLC.1



LEAD LINED CART

Standard Sizing:

Width: OD - 14"

Depth: OD - 12"

Height: OD - 14" T

" of Lead: $\frac{1}{4}$ " up to 2"

Exterior: Stainless Steel

Interior: Stainless Steel

HPLC.BS



HPLC WASTE BOTTLE SHIELD

Standard Sizing:

Width: OD - 11"

Depth: OD - 9 $\frac{3}{8}$ "

Height: OD - 17 $\frac{9}{16}$ " w/ casters, **ID** - 12 $\frac{1}{4}$ "

" of Lead: $\frac{1}{2}$ "

Exterior: Stainless Steel

Interior: Stainless Steel

L Blocks

Our custom-built L-blocks provide reliable radiation shielding for laboratory and industrial applications. Constructed from high-density lead or lead-lined materials, these units combine a vertical barrier with a horizontal work surface to ensure maximum operator protection during source handling. Each L-block can be manufactured to specified dimensions and shielding thicknesses.

MLB.5



Mini L Block

Width: OD - 10 $\frac{3}{8}$ "
Depth: OD - 15"
Height: 14 $\frac{1}{16}$ " **T**
" of Lead: $\frac{1}{2}$ " front
Exterior: Stainless Steel
Interior: Painted Lead
Glass: 8 x 10 lead glass

PLB



PET L Block

Width: OD - 14"
Depth: 15"
Height: 20 $\frac{5}{8}$ " **T**
" of Lead: $\frac{1}{2}$ " up to 2" (varies on customer specs)
Exterior: Stainless Steel
Interior: Painted Lead
Glass: 8 x 8 x 4 lead glass

PLBB



PET L Block w/ Bite

Width: OD - 14" **Bite:** 12 $\frac{1}{8}$ " **W**, 6 $\frac{1}{8}$ " **D**
Depth: 15"
Height: 20 $\frac{5}{8}$ " **T**
" of Lead: $\frac{1}{2}$ " up to 2" (varies on customer specs)
Exterior: Stainless Steel
Interior: Painted Lead
Glass: 8 x 8 x 4 lead glass

L Blocks

DPLB



Deluxe PET L Block

Width: 21 $\frac{5}{8}$ "
Depth: OD - 16 $\frac{3}{4}$ "
Height: 28 $\frac{5}{8}$ " T
" of Lead: 2 $\frac{1}{2}$ "
Exterior: Stainless Steel
Interior: Stainless Steel
Glass: 8 x 8 x 4 lead glass

CLBDC.1.5



Compact L-Block w/ Dose Calibrator Shield

Width: 17 $\frac{7}{8}$ " W (2" wings on each side)
Depth: 21 $\frac{3}{8}$ " D, 20 $\frac{1}{8}$ " D, 13 $\frac{13}{16}$ " w/ base
Height: 26 $\frac{3}{8}$ " T
" of Lead: 1 $\frac{1}{2}$ "
Exterior: Stainless Steel
Interior: Painted
Glass: 8 x 8 x 4 lead glass

CLBDC.1.5
CCVC.2.0



Compact L Block w/ Dose Calibrator & Lead Brick Cave w/ Cover

* Specs as seen in product #024, but this L Block includes the lead brick cave/cover and showcases our white powder coating option. *

L Blocks

APLB



Adjustable PET L Block

Width: 15 ¾"

Depth: 15 ½"

Height: 21" T

" of Lead: ½" up to 2"

Exterior: Stainless Steel or white powder coat

Glass: 8x8x4

*viewing window can be adjusted between 30° and 55°

RLB.1



Retro L Block

* Custom Specs Only *

SLB.1



Sliding L Block

* Custom Specs Only *

* Attaches to hoods, isolators, and biological safety cabinets*

Caves/Covers

PCVC.2.0



PET Cave

*To fit L Blocks

Width: 19 1/8"

Depth: 17 7/8"


Height: 13" T

" of Lead: 2"

Exterior: Stainless Steel or White Powder Coat

Interior: Stainless Steel or White Powder Coat

CCVC.2.0



Compact Cave

*To fit L Blocks

Width: 19"

Depth: 22 5/8"


Height: 16 1/4" T

" of Lead: 2"

Exterior: Stainless Steel or White Powder Coat

Interior: Stainless Steel or White Powder Coat

DCVC.2.5



Deluxe Cave

*To fit L Blocks

Width: 21 3/8"

Depth: OD - 16 9/16"

Height: 16 3/8" T

" of Lead: 2 1/2"

Exterior: Stainless Steel or White Powder Coat

Interior: Stainless Steel or White Powder Coat



Lead bricks found inside of
our cave covers.

Lab Furniture

SWCB Sink & Waste Cabinet



Color Options:



Stainless Steel



White Powdercoat

The Waste and Storage Cabinet performs two functions. Radioisotopes can safely be stored in drawers, while the cupboard section is for the storage of non-sharps radioactive waste. The cupboard section includes a shielded port.

Measurements:

Width: 30.5"

Depth: 24"

Height: 36.5"

" of Lead: .25" - 1" thick (on all six sides)

Color Options:



Stainless Steel



White Powdercoat

Measurements:

Width: 36.5"

Depth: 24"

Height: 36.5"

" of Lead: .25" - 1" thick (on all six sides)

Weight: .25" : 1063 lbs

.5" : 1540 lbs

1" : 2433 lbs

offers key lockable doors

PECB

Prep Enclosure Cabinet



Lab Furniture

PETCB

PET Cabinet



We offer endless configurations to meet your specific needs. Options include: PET L Block w/ Bite, Compact L Block w/ Dose Calibrator Shield, Lead Brick Cave, Dose Calibrator Chamber, Well Counter, Shielded Sharps Container, Round PET Sharps Container, Pig Holder (4 or 6), Reader Arm, 1 Sliding Shelf, Lockable front doors

Color Options:



Stainless Steel



White Powdercoat

Standard Measurements:

Width: OD - 30 1/8"

Depth: OD - 25 1/2"

Height: 67 3/4" T

(71 1/2" T w/ casters)

" of Lead: 1/4" or 1/2" thick

Exterior: Stainless Steel

Interior: Stainless Steel

Color Options:



Stainless Steel



White Powdercoat

Standard Measurements:

Width: 45"

Depth: 29 3/4"

Height: 57" T

Exterior: Stainless Steel

Interior: Painted Lead

Glass: 8" x 8" x 4" lead glass with 2" polycarbon

Custom Specs offered

PUDT

PET Unit Dose Table



This table offers a compact L-Block with dose calibrator shield, sharps container, & a reader arm. Optional Additions: Compact lead brick cave

Lab Furniture

HDRT

Heavy Duty Robot Table



Color Options:



Stainless Steel



White Powdercoat

Standard Measurements:

Custom Specs Only

Color Options:



Stainless Steel



White Powdercoat

Standard Measurements:

Width: 36.5"

Depth: 24"

Height: 36.5"

" of Lead: .25" - 1" thick (on all six sides)

Weight: .25" : 1103 lbs

.5" : 1421 lbs

1" : 2500 lbs

DSCB

Decay and Storage Cabinet



Lab Furniture

LCB-DP

Lead Lined Cabinet w/ Drop Port



Color Options:



Stainless Steel



White Powdercoat

Measurements:

Width: 36"

Depth: 24"

Height: 36.5"

" of Lead: .25" - 1" thick (on all six sides)

Color Options:



Stainless Steel



White Powdercoat

Measurements:

Width: 30.5"

Depth: 25"

Height: 32 ¾"

" of Lead: .25" - 1" thick (on all six sides)

Weight: .25" : 913 lbs

.5" : 1282 lbs

1" : 2290 lbs

Option for 1 or 2 fixed shelves

LLDCB

Lead Lined Decay Cabinet



Lab Furniture

SSSCB

Stainless Steel Storage Cabinet



Color Options:



Stainless Steel



White Powdercoat

Measurements:

Width: 30 1/8"

Depth: 25 1/2"

Height: 367 3/4"

" of Lead: 1/16"

Interior: Stainless Steel

Exterior: Stainless Steel

Color Options:



Stainless Steel



White Powdercoat

Measurements:

Width: 30.5"

Depth: 24"

Height: 36.5" T

" of Lead: .25", .5", or 1" thick
(on all six sides)

Weight: .25" : 1103 lbs

.5" : 1421 lbs

1" : 2500 lbs

Door and drawers are key-locked

RISCB

Radioisotope Storage Cabinet

Picture
Coming Soon

DHC.1

Dispensing Hot Cell

*Completely customizable from start to finish
if requested*



Standard Specs

- ISO class 5 standard
- Positive/Negative Pressure
- (2) 16"x16" Side Doors for access
- 12"x12"x6" thick leaded glass viewing window
- (2) 16"x16" Fans & HEPA filters
- lead shielding: 3" on front, 2.5" on bottom, sides, back, 2" top shielding over fans
- LED Lighting
- Roxtec line seals
- 2" Lead Lined Dose Calibrator bucket
- Switched 110 Electrical outlets inside the unit
- Push button controls
- Emergency Disconnect switch (E-stop)
- Top box w/ front or side access panel
- Bottom access panel
- Air operated Vertical exiting system pass thru 1" shielded (MPT)

Standard Measurements

OD: 52.5" W x 39.75" D x 98" T

ID: 39" W x 29" D x 32" T

Approximate Weight: 15,000 lbs

AMC2MW

Double Stack Mini Cell

*Completely customizable from start to finish
if requested*



Standard Specs

- Lead Shielding: 3" doors, 3" on bottom, sides, back, and top
- Pull out tray
- Mirror finish tubs
- LED Lighting
- Charcoal exhaust filters
- HEPA intake filter
- Electronic latches
- Roxtec line seals
- Push button controls
- Heavy duty stainless steel hinges
- Stainless steel finish
- 2 magnahelic gauges

Standard Measurements

OD: 40" W x 40" D x 97.25" T

ID: 30.25" W x 27" D x 22" T (per chamber)

ID: 30.25" W x 24" D x 11" T (waste chamber)

Approximate Weight: 17,000 lbs

TH.1

Test Hood



Customizations

- 50³/₄" W
- 30" D
- 67" T
- 2 - swing doors on front w/ chrome handles
- L-Block w/ 8x8x2 lead glass in viewing window
- 1/4" plexiglass
- LED lighting
- 8" top exhaust duct
- 1" left side port
- (2) 1.5" bottom ports

MFPC.PS

Medfusion Pump Cart w/ Injection Pump Shield



Customizations

- 32.25 " W
- 43.5 " T
- 20" D
- 0.5 - 2" thickness of lead
- Pull-out drawer located on side with push handle
- 6" casters (2 swivel, 2 locking)

Injection pump can be removed if needed

MFP

Med Fusion Pump

Can be manufactured with or without cart attachment



Custom Products

Haven't found a product to meet your needs?

We've added a few of our previous custom builds to our catalog too. Have an idea for something custom you need? Contact us, we'll be able to talk about fabricating an item to meet your specific needs.

Custom Hot Box



Back

Custom Sharps Container with Sliding Lid



Custom Products

Biological Safety Cabinets/ Fume Hood/ Isolator

You can choose the brand that best fits your needs. We offer options from Esco, Germfree, and Labconco. Choose your selection and we will start customizations!



STAINLESS STEEL SQUARE WASTE CONTAINER ON CASTERS WITH SHOCK LID



Custom Products

Custom Pit w/ Sliding Door



**Custom sharps Container
w/ 2 Doors**



Custom Products

**Custom Shield Box w/ 2 Open
& Sliding Doors**



Custom Small Cabinet w/ 2 shelves



Custom Products

Custom Cask Cart




Custom Cabinet w/ 2 Sliding Shelves



Custom Products

Custom Lead Lined Safe



Small Custom Cask w/ Swivel Lid



Custom Products

Custom Mobile Shield



We're expanding!

AM&M is growing into a new building!
December 2025 we will be located at 425
Carson Rd N Birmingham, AL 35215.

Index: Item Numbers

›Waste Containers

30.BL - Removable Lid & Cap for 30 Gal Barrel.....	pg. 2
30B.5.SS - 30 Gal Lead Barrel (½" lead)	pg. 2
30B.75.SS - 30 Gal Lead Barrel (¾" lead)	pg. 2
30B.1.SS - 30 Gal Lead Barrel (1" lead)	pg. 2
30.BD - Standard 30 Gal Barrel Dolly	pg. 2
10D.125 - 10/15 Gal Lead Drum (⅛" lead)	pg. 2
10D.25 - 10/15 Gal Lead Drum (¼" lead)	pg. 2
10D.5 - 10/15 Gal Lead Drum (½" lead)	pg. 2
10D.75 - 10/15 Gal Lead Drum (¾" lead)	pg. 2
10D.1 - 10/15 Gal Lead Drum (1" lead)	pg. 2
30D.125 - 30 Gal Lead Drum (⅛" lead)	pg. 2
30D.25 - 30 Gal Lead Drum (¼" lead)	pg. 2
30D.5 - 30 Gal Lead Drum (½" lead)	pg. 2
30D.75 - 30 Gal Lead Drum (¾" lead)	pg. 2
30D.1 - 30 Gal Lead Drum (1" lead)	pg. 2
30D.2 - 30 Gal Lead Drum (2" lead)	pg. 2
30.DD - Standard 30 Gal Drum Dolly	pg. 3
55.D.125 - 55 Gal Drum (⅛" lead)	pg. 3
55.D.25 - 55 Gal Drum (¼" lead)	pg. 3
55.D.5 - 55 Gal Drum (½" lead)	pg. 3
55.D.75 - 55 Gal Drum (¾" lead)	pg. 3
55.D.1 - 55 Gal Drum (1" lead)	pg. 3
55.D.2 - 55 Gal Drum (2" lead)	pg. 3
55.DD - Standard 55 Gal Drum Dolly	pg. 3
LLWC.125 - Lead Lined Waste Container	pg. 3
LCSK.125 - Large Cask (⅛" lead)	pg. 3
LCSK.25 - Large Cask (¼" lead)	pg. 3
LCSK.5 - Large Cask (½" lead)	pg. 3
LCSK.75 - Large Cask (¾" lead)	pg. 3
LCSK.1 - Large Cask (1" lead)	pg. 3
LCSK.2 - Large Cask (2" lead)	pg. 3
TTWC.125 - Tri-Top Waste Container (⅛" lead)	pg. 3
TTWC.25 - Tri-Top Waste Container (¼" lead)	pg. 3

›Sharps Products

CLLC.1 - Custom Lead Lined Container	pg. 4
RPSC.1 - Round PET Sharps Container	pg. 4
DSC.125 - Dual Sharps Container (⅛" lead).....	pg. 4
DSC.25 - Dual Sharps Container (¼" lead)	pg. 4
DSC.5 - Dual Sharps Container (½" lead)	pg. 4
PHES.1.5 - PET High Energy Sharps (½" lead).....	pg. 4
PHES.1 - PET High Energy Sharps (1" lead).....	pg. 4
BC.1 - Bottle Canister	pg. 5
SLSC.5 - Sliding Lid Sharps Container	pg. 5
SLSC.H.125 - Sliding Lid Sharps container w/ Hole	pg. 5

›Mobile Carts

PC.1 - Phantom Cart	pg. 6
LLC.1 - Lead Lined Cart	pg. 6
HPLC.BS - HPLC Bottle Shield	pg. 6

Index: Item Numbers

>L Blocks

MLB.5 - Mini L-Block	pg. 7
PLB.1 - PET L Block (1" lead)	pg. 7
PLB.1.5 - PET L Block (1 ½" lead).....	pg. 7
PLB.2 - PET L Block (2" lead)	pg. 7
PLBB.1 - PET L Block with Bite (1" lead)	pg. 7
PLBB.1.5 - PET L Block with Bite(1 ½" lead).....	pg. 7
PLBB.2 - PET L Block with Bite (2" lead)	pg. 7
DPLB.2.5 - Deluxe PET L Block (2 ½" lead)	pg. 8
CLB.DC.1.5 - Compact L Block with Dose Calibrator Shield (1 ½" lead)	pg. 8
APLB.5 - Adjustable PET L Block (½" lead)	pg. 9
APLB.1 - Adjustable PET L Block (1" lead)	pg. 9
APLB.1.5 - Adjustable PET L Block (1 ½" lead)	pg. 9
APLB.2 - Adjustable PET L Block (2" lead)	pg. 9
RLB.1 - Retro L Block	pg. 9
SLB.1 - Sliding L Block	pg. 9

>Caves/Covers

PCVC.2.0 - PET Cave	pg. 10
CCVC.2.0 - Compact Cave	pg. 10
DCVC.2.5 - Deluxe Cave	pg. 10

>Cabinets/Tables

SWCB.25 - Sink & Waste Cabinet (¼" lead)	pg. 11
SWCB.5 - Sink & Waste Cabinet (½" lead)	pg. 11
SWCB.75 - Sink & Waste Cabinet (¾" lead)	pg. 11
SWCB.1 - Sink & Waste Cabinet (1" lead)	pg. 11
PECB.25 - Prep Enclosure Cabinet (¼" lead)	pg. 11
PECB.5 - Prep Enclosure Cabinet (½" lead)	pg. 11
PECB.75 - Prep Enclosure Cabinet (¾" lead)	pg. 11
PECB.1 - Prep Enclosure Cabinet (1" lead)	pg. 11
PETCB.25 - PET Cabinet (¼" lead)	pg. 12
PETCB.5 - PET Cabinet (½" lead)	pg. 12
PUDT - PET Unit Dose Table	pg. 12
HDRT - Heavy Duty Robot Table	pg. 13
DSCB.25 - Decay & Storage Cabinet (¼" lead)	pg. 13
DSCB.5 - Decay & Storage Cabinet (½" lead)	pg. 13
DSCB.75 - Decay & Storage Cabinet (¾" lead)	pg. 13
DSCB.1 - Decay & Storage Cabinet (1" lead)	pg. 13
LCB-DP.25 - Lead Lined Cabinet with Drop Port (¼" lead)	pg. 14
LCB-DP.5 - Lead Lined Cabinet with Drop Port (½" lead)	pg. 14
LCB-DP.75 - Lead Lined Cabinet with Drop Port (¾" lead)	pg. 14
LCB-DP.1 - Lead Lined Cabinet with Drop Port (1" lead)	pg. 14
LLDCB.25 - Lead Lined Decay Cabinet (¼" lead)	pg. 14
LLDCB.5 - Lead Lined Decay Cabinet (½" lead)	pg. 14
LLDCB.75 - Lead Lined Decay Cabinet (¾" lead)	pg. 14
LLDCB.1 - Lead Lined Decay Cabinet (1" lead)	pg. 14
SSSCB - Stainless Steel Storage Cabinet	pg. 15
RISCB.25 - Radiolotope Storage Cabinet (¼" lead)	pg. 15

Index: Item Numbers

RISCB.5 - Radiolotope Storage Cabinet (½" lead)	pg. 15
RISCB.75 - Radiolotope Storage Cabinet (¾" lead)	pg. 15
RISCB.1 - Radiolotope Storage Cabinet (1" lead)	pg. 15
>Lab Equipment	
DHC.1 - Dispensing Hot Cell	pg. 16
AMC2MW - Double Stack Mini Cell	pg. 17
TH.1 - Test Hood	pg. 18
MFPC.PS - Medfusion Pump Cart with Injection Pump Shield	pg. 19
MFP - Medfusion Pump	pg. 19

Our company can fully customize any product listed in our catalog to meet your exact specifications. Whether you need specific dimensions, materials, colors, or performance features, we tailor every detail to your requirements. We work closely with you to ensure the final product perfectly fits your needs and standards.

